
Benchmark Library

Functions:❖ `rigElapsedTime(startMarker, endMarker)`*Commands:*❖ `rigTimeMark` marker

Captcha Library

Functions:

❖ `rigCaptchaStyle()`
 ❖ `rigGetCaptchaHash()`
 ❖ `rigGetCaptchaNum()`
 ❖ `rigCaptcha()`
 ❖ `rigCaptchaMathProblem([pNumOperators])`
 ❖ `rigValidCaptchaUserInput(userInput, hiddenHashField)`

Commands:❖ `rigInitCaptcha` config

Calendaring Library

Functions:❖ `rigCalGenerate([year, month] [, cellDataArray])`

Config Library

Functions:

❖ `rigFetchConfigItem(configArrayIndex [, customConfigArray])`
 ❖ `rigLoadConfigFile(fileName[, storeAsConfigIndex][, suppressErrors])`
 ❖ `rigSiteURL()`
 ❖ `rigSystemURL()`

Commands:❖ `rigSetConfigItem` name, value

Database Library Active Record

Functions:

❖ `rigDbCountAllResults([table])`
 ❖ `rigDbDelete([table][, whereClause])`
 ❖ `rigDbEmptyTable([table])`
 ❖ `rigDbGet([table][, limit][, offset])`

❖ `rigDbGetWhere([table], whereClause[, limit] [, offset])`
 ❖ `rigDbInsert(table, dataArray, lastInsertID)`
 ❖ `rigDbPrefix(table)`
 ❖ `rigDbTruncate([table])`
 ❖ `rigDbUpdate(table, data[, whereClause])`
 ❖ `rigDbValuesSet({field, value | fieldValueArray}[, escape])`

Commands:

❖ `rigDbCloseParenthesis`
 ❖ `rigDbDistinct`
 ❖ `rigDbFlushCache`
 ❖ `rigDbFrom` table
 ❖ `rigDbGroupBy {field | fieldArray}`
 ❖ `rigDbHaving {field, value | havingClause | fieldValueArray} [, escape]`
 ❖ `rigDbJoin` table, onClause[, option]
 ❖ `rigDbLike` field, match[, option]
 ❖ `rigDbLimit` limit[, offset]
 ❖ `rigDbNotLike` field, match[, option]
 ❖ `rigDbOpenParenthesis`
 ❖ `rigDbOrderBy {field, option | field option, field option ...}`
 ❖ `rigDbOrHaving {field, value | havingClause | fieldValueArray} [, escape]`
 ❖ `rigDbOrLike` field, match[, option]
 ❖ `rigDbOrNotLike` field, match[, option]
 ❖ `rigDbOrWhere {field, value | fieldValueArray | customClause}`

- ❖ rigDbOrWhereIn field, valueArray
- ❖ rigDbOrWhereNotIn field, valueArray
- ❖ rigDbSelect fieldsList[, protect]
- ❖ rigDbStartCache
- ❖ rigDbStopCache
- ❖ rigDbWhere {field, value | fieldValueArray | customClause}
- ❖ rigDbWhereIn field, valueArray
- ❖ rigDbWhereNotIn field, valueArray
- ❖ rigSelectAvg field
- ❖ rigSelectMax field[, newFieldName]
- ❖ rigSelectMin field[, newFieldName]
- ❖ rigSelectSum field[, newFieldName]

Database Library Driver

Functions:

- ❖ rigDbAffectedRows()
- ❖ rigDbCacheOff()
- ❖ rigDbCacheOn()
- ❖ rigDbEscape(string)
- ❖ rigDbFieldData(table)
- ❖ rigDbFieldExists(field, table)
- ❖ rigDbInsertString(table, dataArray)
- ❖ rigDbLastQuery()
- ❖ rigDbListFields(table)
- ❖ rigDbListTables()
- ❖ rigDbPlatform()

- ❖ rigDbQuery(query)
- ❖ rigDbSimpleQuery(query)
- ❖ rigDbTableExists(table)
- ❖ rigDbTransStatus()
- ❖ rigDbUpdateString(table, dataArray, whereClause)
- ❖ rigDbVersion()
- ❖ rigEscapeLikeStr(string)
- ❖ rigProtectIdentifiers(table[, prefix])
- ❖ rigTransComplete()

Commands:

- ❖ rigDbCacheDelete segmentsList
- ❖ rigDbCacheDeleteAll fileNameToExclude
- ❖ rigDbTransOff
- ❖ rigDbTransStart
- ❖ rigDbTransStrict {TRUE | FALSE}

Database Library Result

Functions:

- ❖ rigDbCurrentRow()
- ❖ rigDbFirstRow()
- ❖ rigDbLastRow()
- ❖ rigDbNextRow()
- ❖ rigDbPreviousRow()
- ❖ rigDBresult()
- ❖ rigDbRow([rowNumber])

Email Library

Functions:

- ❖ rigMailSend()
- ❖ rigPrintMailDebugger()

Commands:

- ❖ rigClearMail [clearAttachments]
- ❖ rigInitializeMail configArray
- ❖ rigMailAttach filePath
- ❖ rigMailBcc {email |emailList |emailArray}
- ❖ rigMailCC {email |emailList |emailArray}
- ❖ rigMailFrom email, name
- ❖ rigMailMessage message
- ❖ rigMailSubject subject
- ❖ rigMailTo {email |emailList |emailArray}
- ❖ rigReplyTo email, name
- ❖ rigSet_sAltMessage altMessage

Encrypt Library

Functions:

- ❖ rigDecode(string)
- ❖ rigEncode(string[, encryptionKey])
- ❖ rigSetCipher name, keyLength

File Uploading Library*Functions:*

- ❖ rigDisplayUploadErrors([openTag, closeTag])
- ❖ rigUploadData()

Commands:

- ❖ rigDoUpload {fieldname}
-

Formvalidation Library*Functions:*

- ❖ rigFormValidRun([validationGroup])

Commands:

- ❖ rigSetErrorDelimiters openTag, closeTag
 - ❖ rigSetMessage rule, message
 - ❖ rigSetRules {fieldName, humanName, rules | rulesArray}
 - ❖ rigSetPrefilledValues defaultFormFieldValues
-

HTML Table Library*Functions:*

- ❖ rigGenerateTable([dataArray])

- ❖ rigMakeTableColumns(dataArray, numberOfColumns)

Commands:

- ❖ rigAddTableRow {valuesList | valuesArray}
 - ❖ rigClearTableVars
 - ❖ rigSetEmptyCellVal value
 - ❖ rigSetTableCaption value
 - ❖ rigSetTableHeading {valuesList | valuesArray, firstCharUppercase}
 - ❖ rigSetTableTemplate templateData
-

Image Library*Functions:*

- ❖ rigDisplayImgErrors([openTag, closeTag])
- ❖ rigImageCrop()
- ❖ rigImageResize()
- ❖ rigImageRotate()
- ❖ rigImageWatermark()
- ❖ rigIMknownFonts()
- ❖ rigIMversion()

Commands:

- ❖ rigImageNewSettings configArray
 - ❖ rigImgClear
-

Input Library*Functions:*

- ❖ rigIpAddress()
 - ❖ rigSanitizeFilename(fileName[, relativePath])
 - ❖ rigUserAgent()
 - ❖ rigValidIP(ip[, which])
 - ❖ rigVarCookie(name, xssFilter)
 - ❖ rigVarGet(name, xssFilter)
 - ❖ rigVarGetPost(name, xssFilter)
 - ❖ rigVarPost(name, xssFilter)
 - ❖ rigVarServer(name)
 - ❖ rigXssClean(data[, testImage])
-

Jquery Library*Functions:*

- ❖ rigJQsource()
- ❖ rigJQalertR(alert)
- ❖ rigJQconfirmR(variableName, question, {TRUE | FALSE})
- ❖ rigJQpromptR(variableName, prompt [, defaultValue][, {TRUE | FALSE}])
- ❖ rigJQsetR(selector, method, propertyValues [, {TRUE | FALSE}][, {TRUE | FALSE}])
- ❖ rigJQgetR(selector, method [, property])

- ❖ `rigJQeffectR(selector, effect [, duration][, callback])`
- ❖ `rigJQanimateR(selector, properties [, duration][, easing][, callback])`
- ❖ `rigJQajaxR(options [, {TRUE | FALSE}])`
- ❖ `rigJQxhrRequestR(type [, URI][, data][, callback][, dataType][, selector])`
- ❖ `rigJQconditionR(condition, ifAction [, elseAction])`
- ❖ `rigJQeachOpenR([selector][, collection], callback)`
- ❖ `rigJQeachCloseR()`

Commands:

- ❖ `rigJQopen`
- ❖ `rigJQclose`
- ❖ `rigJQajaxForm submitBtnSelector, selectorList, postURI [, {TRUE | FALSE}][, dataToLoadURI][, dataContainerSelector]`
- ❖ `rigJQeventAlert selector, eventType, alert [, {TRUE | FALSE}][, eventData]`
- ❖ `rigJQalert alert`
- ❖ `rigJQconfirm variableName, question, {TRUE | FALSE}`
- ❖ `rigJQprompt variableName, prompt [, defaultValue][, {TRUE | FALSE}]`
- ❖ `rigJQset selector, method, propertyValues [, {TRUE | FALSE}][, {TRUE | FALSE}]`
- ❖ `rigJQeventOpen selector, event [, {TRUE | FALSE}][, eventData][, eventObject][, functionArguments]`

- ❖ `rigJQeventClose`
- ❖ `rigJQeventEffect triggerSelector, targetSelector, eventType, effect [, effectParameter][, {TRUE | FALSE}][, callback]`
- ❖ `rigJQeffect selector, effect [, duration][, callback]`
- ❖ `rigJQeventAnim triggerSelector, targetSelector, event, cssProperties [, duration][, easing][, callback]`
- ❖ `rigJQanimate selector, properties [, duration][, easing][, callback]`
- ❖ `rigJQajax ajaxOptions [, {TRUE | FALSE}]`
- ❖ `rigJQxhrRequest type [, URI][, data][, callback][, dataType][, selector]`
- ❖ `rigJQcallFunction [selector], functionName, functionArguments`
- ❖ `rigJQfunctionOpen functionName [, functionArguments]`
- ❖ `rigJQfunctionClose`
- ❖ `rigJQcb`
- ❖ `rigJQcondition condition, ifAction [, elseAction]`
- ❖ `rigJQeachOpen [selector][, collection], callback`
- ❖ `rigJQeachClose`
- ❖ `rigJQvar variables`
- ❖ `rigJQaddStatement statement`

Language Library

Functions:

- ❖ `rigLangLangLine(languageArrayKey)`
- ❖ `rigLangLoadLang(name, language)`

Loader Library

Functions:

- ❖ `rigLoadDatabase({connectArray | dsn}, returnID, enableActiveRecord)`
- ❖ `rigLoadView(name, returnData)`

Commands:

- ❖ `rigLoadConfig name`
- ❖ `rigLoaderLoadLibrary name[, configArray]`
- ❖ `rigLoadHelper name`
- ❖ `rigLoadLanguage name, language`
- ❖ `rigLoadModel name`
- ❖ `rigLoadPlugin name`
- ❖ `rigLoadStack name[, configArray] [, "front" | "behind"]`

Output Library*Functions:*

- ❖ `rigGetOutput()`

Commands:

- ❖ `rigEnableProfiler {TRUE | FALSE}`
- ❖ `rigOutputCache minutes`
- ❖ `rigSetHeader data`
- ❖ `rigSetOutput data`

Pagination Library*Functions:*

- ❖ `rigCreatePaginationLinks()`

Commands:

- ❖ `rigInitializePagination configArray`

Session Library*Functions:*

- ❖ `rigSessFlashdata(item)`
- ❖ `rigSessUserdata(item)`

Commands:

- ❖ `rigKeepSessFlashdata item`
- ❖ `rigSessDestroy`
- ❖ `rigSetSessFlashdata {item, value | itemValueArray}`
- ❖ `rigSetSessUserdata {item, value | itemValueArray}`
- ❖ `rigUnsetSessUserdata {item | itemArray}`

URI Library*Functions:*

- ❖ `rigAssocToURI(array)`
- ❖ `rigFetchRsegment(segmentNumber[, default])`
- ❖ `rigFetchSegment(segmentNumber[, default])`
- ❖ `rigRSegmentArray()`
- ❖ `rigRuriString()`
- ❖ `rigRuriToAssoc(offset[, defaultKeyNames])`
- ❖ `rigSegmentArray()`
- ❖ `rigSlashRsegment(segmentNumber[, slashPosition])`
- ❖ `rigSlashSegment(segmentNumber[, slashPosition])`
- ❖ `rigTotalRsegments()`
- ❖ `rigTotalSegments()`
- ❖ `rigUriString()`
- ❖ `rigUriToAssoc(offset[, defaultKeyNames])`

Useragent Library*Functions:*

- ❖ `rigAcceptCharset(charSet)`
- ❖ `rigAcceptLang(language)`
- ❖ `rigAgentPlatform()`
- ❖ `rigAgentString()`
- ❖ `rigBrowser()`
- ❖ `rigBrowserVersion()`
- ❖ `rigIsBrowser()`
- ❖ `rigIsMobile()`
- ❖ `rigIsReferral()`
- ❖ `rigIsRobot()`
- ❖ `rigMobile()`
- ❖ `rigReferrer()`
- ❖ `rigRobot()`
