
Array Helper

Functions:

- ❖ `rigArrayElement(index, array[, defaultValur])`
 - ❖ `rigArrayKeys()`
 - ❖ `rigArrayMerge(array, array[, delimiter, delimiter])`
 - ❖ `rigArrayRandElement(array)`
 - ❖ `rigArraySplice(array, offset, length)`
 - ❖ `rigArrayValues()`
 - ❖ `rigElementsList(array)`
 - ❖ `rigImplode(array, glue)`
-

Asset Helper

Functions:

- ❖ `rigAddFavicon([, module][, cacheBuster])`
 - ❖ `rigCssAsset(asset[, attributes][, module][, cacheBuster])`
 - ❖ `rigDynamicCssAsset(asset[, attributes][, module][, cacheBuster])`
 - ❖ `rigImgAssetURL(asset[, module][, cacheBuster])`
 - ❖ `rigImageAsset (asset[, attributes][, module][, cacheBuster])`
 - ❖ `rigJsAsset(asset[, module][, cacheBuster])`
-



Cookie Helper

Functions:

- ❖ `rigGetCookie(name[, xssFilter])`

Commands:

- ❖ `rigDeleteCookie {name | valueArray | name, domain, path, prefix}`
 - ❖ `rigSetCookie {name, value | valueArray | name, value[, expiration][, domain][, path][, prefix][, replace]}`
-

Date Helper

Functions:

- ❖ `rigNow()`
 - ❖ `rigMdate(dateString[, time])`
 - ❖ `rigStandardDate(format, time)`
 - ❖ `rigLocalToGMT([time])`
 - ❖ `rigGmtToLocal([time][, timeZone][, DST])`
-

- ❖ `rigMysqlTimeToSeconds(mysqlTime)`
 - ❖ `rigTimestampToHuman(time[, showSecs][, format])`
 - ❖ `rigHumanToTimestamp(datestring)`
 - ❖ `rigTimespan(seconds, time)`
 - ❖ `rigDaysInMonth(month, year)`
 - ❖ `rigTimezones([timezone])`
 - ❖ `rigTimezoneMenu([default][, class][, name])`
-

Download Helper

Commands:

- ❖ `rigForceDownload name, data`
-

Email Helper

Functions:

- ❖ `rigSendEmail(recipient, subject, message, sender[, cc][, bcc])`
 - ❖ `rigValidEmail(emailAddress)`
-

File Helper

Functions:

- ❖ `rigGetDirFileInfo(path)`
- ❖ `rigGetFileInfo(path[, explicitInfo])`
- ❖ `rigGetFileNames(path)`
- ❖ `rigGetMimeByExtension(file)`
- ❖ `rigReadBinFile(path)`
- ❖ `rigReadFile(path)`
- ❖ `rigSymbolicPermissions(octalValue)`
- ❖ `rigWriteFile(path, data)`

Commands:

- ❖ `rigDeleteFiles path[, recursive][, excludeName]`
-

Form Helper

Functions:

- ❖ `rigFormButton({name, content | contentArray}[, additionalData])`
- ❖ `rigFormCheckbox({name, value | nameValueArray}[, checked][, additionalData])`
- ❖ `rigFormClose([string])`
- ❖ `rigFormDropDown(name, optionsArray, {selectedValue | selectedValuesArray}[, attributes])`
- ❖ `rigFormFieldset(string[, attributesArray])`

- ❖ `rigFormFieldsetClose([string])`
- ❖ `rigFormHidden({name, value | nameValueArray})`
- ❖ `rigFormInput({name, value | nameValueArray}[, attributesArray])`
- ❖ `rigFormLabel(string, name[, attributesArray])`
- ❖ `rigFormMultiselect (name[, optionsArray, {selectedValue | selectedValuesArray}[, attributes])`
- ❖ `rigFormOpen(URI[, attributesArray][, hiddenFieldsArray])`
- ❖ `rigFormOpenMultiPart (URI[, attributesArray][, hiddenFieldsArray])`
- ❖ `rigFormPassword ({name, value | nameValueArray}[, attributesArray])`
- ❖ `rigFormPrep(string)`
- ❖ `rigFormRadio({name, value | nameValueArray}[, checked][, additionalData])`
- ❖ `rigFormTextarea({name, value | nameValueArray}[, attributesArray])`
- ❖ `rigFormUpload({name, value | nameValueArray}[, attributesArray])`
- ❖ `rigResetButton({name, value | nameValueArray}[, extraData])`
- ❖ `rigSetCheckbox(name[, value[, default]])`
- ❖ `rigSetRadio(name, value[, default])`
- ❖ `rigSetSelect(name, value[, default])`
- ❖ `rigSetValue(fieldName[, defaultValue])`

- ❖ `rigSubmitButton({name, value | nameValueArray}[, extraData])`
-

Form-Mail Helper

Functions:

- ❖ `rigFormMail(filePath, substitutionDataArray[, prefix][, suffix])`
 - ❖ `rigFormMailReplace()`
-

HTML Helper

Functions:

- ❖ `rigHtmlBr(number)`
- ❖ `rigHtmlDocType([docType])`
- ❖ `rigHtmlHeading(string, size)`
- ❖ `rigHtmlImg({source | attributesArray}[, indexPage])`
- ❖ `rigHtmlLinkTag(href[, rel][, type][, title][, media][, indexPage])`
- ❖ `rigHtmlMeta({name, value | nameValueArray}[, {"equiv" | "name"}])`
- ❖ `rigHtmlNbs(number)`
- ❖ `rigHtmlOL(array[, attributes])`
- ❖ `rigHtmlUL (array[, attributes])`

Language Helper

Functions:❖ `rigLangLine(languageKey[, formLabel])`

String Helper

Functions:

❖ `rigAlternator(stringList)`
 ❖ `rigQuotesToEntities(string)`
 ❖ `rigRandomString(type, lenght)`
 ❖ `rigReduceDoubleSlashes(string)`
 ❖ `rigReduceMultiples(textTosearch, characterToReduce[, removeFromFrontEnd])`
 ❖ `rigRepeater(string, number)`
 ❖ `rigStripQuotes(string)`
 ❖ `rigTrimSlashes(string)`

Commands:❖ `rigResetAlternator`

URL Helper

Functions:

❖ `rigAnchor(URI, string[, attributesArray])`
 ❖ `rigAnchorPopUp (URI, string[, attributesArray])`
 ❖ `rigASiteURL({uriSegments | segmentsArray})`
 ❖ `rigAutoLink(string[, whichType][, newWindow])`
 ❖ `rigBaseURL()`
 ❖ `rigCurrentURlstring()`
 ❖ `rigCurrentURL()`
 ❖ `rigIndexPage()`
 ❖ `rigMailToLink(address, string)`
 ❖ `rigSafeMailToLink (address, string)`
 ❖ `rigUrlPrep(url)`
 ❖ `rigUrITitle(title[, {"dash" | "underscore"}][, lowercase])`

Commands:❖ `rigRedirect uri[, {"location" | "refresh"}][, responseCode]`

xml Helper

Functions:❖ `rigXmlConvert(string)`

Sitelinks Plugin

Functions:❖ `rigSiteLinks(linksArray, currentPage, seperator, selector)`

Queryvalues Plugin

Functions:❖ `rigQueryValues(resultArray[, keyValueDelimiter][, recordDelimiter])`

QuerytoJSON Plugin

Functions:❖ `rigQueryToJson(resultArray[, fieldnamesArray])`
