

---

## Array Helper

### Functions:

- ❖ `rigArrayElement(index, array[, defaultValur])`
  - ❖ `rigArrayKeys()`
  - ❖ `rigArrayMerge(array, array[, delimiter, delimiter])`
  - ❖ `rigArrayRandElement(array)`
  - ❖ `rigArraySplice(array, offset, length)`
  - ❖ `rigArrayValues()`
  - ❖ `rigElementsList(array)`
  - ❖ `rigImplode(array, glue)`
- 

---

## Asset Helper

### Functions:

- ❖ `rigAddFavicon([, module][, cacheBuster])`
  - ❖ `rigCssAsset(asset[, attributes][, module][, cacheBuster])`
  - ❖ `rigDynamicCssAsset(asset[, attributes][, module][, cacheBuster])`
  - ❖ `rigImgAssetURL(asset[, module][, cacheBuster])`
  - ❖ `rigImageAsset (asset[, attributes][, module][, cacheBuster])`
  - ❖ `rigJsAsset(asset[, module][, cacheBuster])`
- 



### Commands:

- ❖ `rigWriteManifest resourcesDir, manifestName[, useAbsoluteURI][, resourcesOnlineOnly][, fallbackResources][, dirTolgnore]`
- 

---

## Cookie Helper

### Functions:

- ❖ `rigGetCookie(name[, xssFilter])`

### Commands:

- ❖ `rigDeleteCookie {name | valueArray | name, domain, path, prefix}`
  - ❖ `rigSetCookie {name, value | valueArray | name, value[, expiration][, domain][, path][, prefix][, replace]}`
- 

---

## Date Helper

### Functions:

- ❖ `rigNow()`
  - ❖ `rigMdate(dateString[, time])`
  - ❖ `rigStandardDate(format, time)`
  - ❖ `rigLocalToGMT([time])`
  - ❖ `rigGmtToLocal([time][, timeZone][, DST])`
  - ❖ `rigMysqlTimeToSeconds(mysqlTime)`
  - ❖ `rigTimestampToHuman(time[, showSecs][, format])`
  - ❖ `rigHumanToTimestamp(datestring)`
  - ❖ `rigTimespan(seconds, time)`
  - ❖ `rigDaysInMonth(month, year)`
  - ❖ `rigTimezones([timezone])`
  - ❖ `rigTimezoneMenu([default][, class][, name])`
- 

---

## Download Helper

### Commands:

- ❖ `rigForceDownload name, data`
-

---

**Email** Helper

---

*Functions:*

- ❖ `rigSendEmail(recipient, subject, message, sender[, cc][, bcc])`
  - ❖ `rigValidEmail(emailAddress)`
- 

---

**File** Helper

---

*Functions:*

- ❖ `rigGetDirFileInfo(path)`
  - ❖ `rigGetFileInfo(path[, explicitInfo])`
  - ❖ `rigGetFileNames(path)`
  - ❖ `rigGetMimeByExtension(file)`
  - ❖ `rigReadBinFile(path)`
  - ❖ `rigReadFile(path)`
  - ❖ `rigSymbolicPermissions(octalValue)`
  - ❖ `rigWriteFile(path, data)`
- 

*Commands:*

- ❖ `rigDeleteFiles path[, recursive][, excludeName]`
- 

---

**Form** Helper

---

*Functions:*

- ❖ `rigFormButton({name, content | contentArray}[, additionalData])`
  - ❖ `rigFormCheckbox({name, value | nameValueArray}[, checked][, additionalData])`
  - ❖ `rigFormClose([string])`
  - ❖ `rigFormDropDown(name, optionsArray, {selectedValue | selectedValuesArray}[, attributes])`
  - ❖ `rigFormFieldset(string[, attributesArray])`
  - ❖ `rigFormFieldsetClose([string])`
  - ❖ `rigFormHidden({name, value | nameValueArray})`
  - ❖ `rigFormInput({name, value | nameValueArray}[, attributesArray])`
  - ❖ `rigFormLabel(string, name[, attributesArray])`
  - ❖ `rigFormMultiselect (name[, optionsArray, {selectedValue | selectedValuesArray}[, attributes])`
  - ❖ `rigFormOpen(URI[, attributesArray][, hiddenFieldsArray])`
  - ❖ `rigFormOpenMultiPart (URI[, attributesArray][, hiddenFieldsArray])`
  - ❖ `rigFormPassword ({name, value | nameValueArray}[, attributesArray])`
  - ❖ `rigFormPrep(string)`
  - ❖ `rigFormRadio({name, value | nameValueArray}[, checked][, additionalData])`
  - ❖ `rigFormTextarea({name, value | nameValueArray}[, attributesArray])`
  - ❖ `rigFormUpload({name, value | nameValueArray}[, attributesArray])`
  - ❖ `rigResetButton({name, value | nameValueArray}[, extraData])`
  - ❖ `rigSetCheckbox(name[, value[, default]])`
  - ❖ `rigSetRadio(name, value[, default])`
  - ❖ `rigSetSelect(name, value[, default])`
  - ❖ `rigSetValue(fieldName[, defaultValue])`
  - ❖ `rigSubmitButton({name, value | nameValueArray}[, extraData])`
- 

---

**Form-Mail** Helper

---

*Functions:*

- ❖ `rigFormMail(filePath, substitutionDataArray[, prefix][, suffix])`
  - ❖ `rigFormMailReplace()`
- 

---

**HTML** Helper

---

*Functions:*

- ❖ `rigHtmlBr(number)`
  - ❖ `rigHtmlDocType([docType])`
  - ❖ `rigHtmlHeading(string, size)`
-

---

- ❖ `rigHtmlImg`({source | attributesArray}[, indexPage])
- ❖ `rigHtmlLinkTag`(href[, rel][, type][, title][, media][, indexPage])
- ❖ `rigHtmlMeta`({name, value | nameValueArray}[, {"equiv" | "name"}])
- ❖ `rigHtmlNbs`(number)
- ❖ `rigHtmlIOL`(array[, attributes])
- ❖ `rigHtmlIUL` (array[, attributes])

---

## Language Helper

### Functions:

- ❖ `rigLangLine`(languageKey[, formLabel])

---

## String Helper

### Functions:

- ❖ `rigAlternator`(stringList)
- ❖ `rigQuotesToEntities`(string)
- ❖ `rigRandomString`(type, lenght)
- ❖ `rigReduceDoubleSlashes`(string)
- ❖ `rigReduceMultiples`(textTosearch, characterToReduce[, removeFromFrontEnd])
- ❖ `rigRepeater`(string, number)
- ❖ `rigStripQuotes`(string)
- ❖ `rigTrimSlashes`(string)

*Commands:*

- ❖ `rigResetAlternator`

---

## URL Helper

### Functions:

- ❖ `rigAnchor`(URI, string[, attributesArray])
- ❖ `rigAnchorPopUp` (URI, string[, attributesArray])
- ❖ `rigASiteURL`({uriSegments | segmentsArray})
- ❖ `rigAutoLink`(string[, whichType][, newWindow])
- ❖ `rigBaseURL`()
- ❖ `rigCurrentURlstring`()
- ❖ `rigCurrentURL`()
- ❖ `rigIndexPage`()
- ❖ `rigMailToLink`(address, string)
- ❖ `rigSafeMailToLink` (address, string)
- ❖ `rigUrlPrep`(url)
- ❖ `rigUrlTitle`(title[, {"dash" | "underscore"}][, lowercase])

### Commands:

- ❖ `rigRedirect` uri[, {"location" | "refresh"}][, responseCode]

---

## xml Helper

### Functions:

- ❖ `rigXmlConvert`(string)

---

## Galleria Plugin

### Functions:

- ❖ `rigGalleriaData`(galleryPath[, options][, containerID][, dataVariableName][, cacheBuster][, replaceDataFile][, reference])
- ❖ `rigDynamicGalleriaData`(metadata[, options][, containerID][, dataVariableName][, cacheBuster])

---

## QueryToJson Plugin

### Functions:

- ❖ `rigQueryToJson`(resultArray[, fieldnamesArray])

---

## QueryValues Plugin

### Functions:

- ❖ `rigQueryValues`(resultArray[, keyValueDelimiter][, recordDelimiter])

---

## Sitelinks Plugin

### Functions:

- ❖ `rigSiteLinks`(linksArray, currentPage, seperator, selector)

---